Copy-in Angular + Tailwind v4 Kit

Release 2026.11 | 236 catalog items | Angular 22 zoneless + signals

DOCUMENT ID	CATALOG	LICENSE
SPEC-2026-11	128 Free / 108 Pro	MIT + Ply Pro

1. How copy-in delivery works

Running npx ply-ui-cli add <name> writes standalone Angular components directly into your repository. There is no runtime library wrapper to upgrade or override. Every template, signal input, and Tailwind class stays under your source control.

2. Design tokens & visual rules

- Monochromatic slate foundation with one brand accent (--ply-primary).
- Tonal depth layers (page, surface, raised) instead of heavy drop shadows.
- Hairline 1px borders and consistent control heights across every toolbar row.
- Built-in dark mode pairs, RTL logical utilities, and WCAG 2.x AA checks.
- Zero third-party wrappers for QR, Gantt, Diagram, Watermark, and Descriptions.

3. Included Pro widgets in this release

WIDGET	CLI COMMAND	PURPOSE
ply-gantt	npx ply-ui-cli add gantt	Release timeline & today pin
ply-diagram	npx ply-ui-cli add diagram	Draggable node canvas
ply-pdf-viewer	npx ply-ui-cli add pdf-viewer	Single-bar PDF reader
ply-qr-code	npx ply-ui-cli add qr-code	In-browser SVG QR encoder
ply-watermark	npx ply-ui-cli add watermark	Non-blocking tiled stamp
ply-descriptions	npx ply-ui-cli add descriptions	Bordered metadata sheet
ply-data-view	npx ply-ui-cli add data-view	List / grid directory

Release Checklist & Usage Notes

4. Browser PDF rendering notes

ply-pdf-viewer embeds the browser PDF renderer with #toolbar=0&navpanes=0 so only Ply reader controls are displayed. Users can page through documents, zoom between 75% and 175%, open the raw file in a new tab, or download a local copy.

5. Production checklist

- [x] Standalone OnPush components with signal inputs and outputs
- [x] Zero-dependency TypeScript sources owned in your repository
- [x] Verified against axe-core WCAG 2.x A/AA smoke tests
- [x] Compatible with Tailwind CSS v4 themes and dark mode
- [x] SSR-safe: no direct window or document access during server render

TIP: USE PREVIOUS / NEXT IN THE READER BAR

Page navigation reloads the frame hash cleanly without duplicate browser toolbars.